

Page 1/14

Safety data sheet according to UK REACH

Printing date 09.10.2024 Version number 4 (replaces version 3) Revision: 09.10.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Slatted Cover Cleaner
- · Registration number Mixture
- · Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC35 Washing and cleaning products (including solvent based products)
- · Application of the substance / the mixture Cleaning agent/ Cleaner
- · Uses advised against

Processes involving extreme heat use advised against.

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

- · Details of the supplier of the safety data sheet
- · Supplier:

Complete Pool Controls Ltd

Unit 2, The Park

Stoke Orchard

Bishops Cleeve

Gloucestershire

GL52 7RS

UK

Tel: +44 (0)1242 662700 (office hours) email: sales@cpc-chemicals.co.uk

- · Further information obtainable from: Product safety department.
- · Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

· Classification of the substance or mixture

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage. STOT SE 3 H335 May cause respiratory irritation.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- $\cdot \ Label \ elements$
- · Hazard pictograms







GHS05 GHS07

7 G

CHSUG

· Signal word Danger

(Contd. on page 2)



Page 2/14

Safety data sheet according to UK REACH

Printing date 09.10.2024 Version number 4 (replaces version 3) Revision: 09.10.2024

Trade name: Slatted Cover Cleaner

(Contd. of page 1)

· Hazard-determining components of labelling:

Phosphoric acid

Alkyl(C12-16)dimethylbenzylammonium chloride

hydrochloric acid

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

CAS: 7647-01-0 EINECS: 231-595-7 Reg.nr.: 01-2119484862-27-XXXX Note: B Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25% Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 % Met. Corr.1; H290: C ≥ 0.1 % CAS: 7664-38-2 EINECS: 231-633-2 Phosphoric acid Skin Corr. 1B, H314
Reg.nr.: 01-2119484862-27-XXXX Tox. 4, H302; STOT SE 3, H335 Note: B Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25% Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 % Met. Corr.1; H290: C ≥ 0.1 % CAS: 7664-38-2 Phosphoric acid 2.5 - < 10%
Note: B Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25% Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 % Met. Corr.1; H290: C ≥ 0.1 % CAS: 7664-38-2 Phosphoric acid 2.5 - < 10%
Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25% Skin Irrit. 2; H315: 10 % ≤ C < 25 %
Skin Corr. 1B; H314: $C \ge 25\%$ Skin Irrit. 2; H315: $10 \% \le C < 25 \%$ Eye Dam. 1; H318: $C \ge 25 \%$ Eye Irrit. 2; H319: $10 \% \le C < 25 \%$ STOT SE 3; H335: $C \ge 10 \%$ Met. Corr.1; H290: $C \ge 0.1 \%$ CAS: 7664-38-2 Phosphoric acid 2.5 - < 10%
Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 % Met. Corr.1; H290: C ≥ 0.1 % CAS: 7664-38-2 Phosphoric acid 2.5 - < 10%
Eye Dam. 1; H318: $C \ge 25 \%$ Eye Irrit. 2; H319: $10 \% \le C < 25 \%$ STOT SE 3; H335: $C \ge 10 \%$ Met. Corr.1; H290: $C \ge 0.1 \%$ CAS: 7664-38-2 Phosphoric acid 2.5 - < 10%
Eye Irrit. 2; H319: $10 \% \le C < 25 \%$ STOT SE 3; H335: $C \ge 10 \%$ Met. Corr.1; H290: $C \ge 0.1 \%$ CAS: 7664-38-2 Phosphoric acid 2.5 - < 10%
STOT SE 3; H335: C ≥ 10 % Met. Corr.1; H290: C ≥ 0.1 % CAS: 7664-38-2 Phosphoric acid 2.5 – < 10%
Met. Corr.1; H290: C ≥ 0.1 % CAS: 7664-38-2 Phosphoric acid 2.5 - < 10%
CAS: 7664-38-2 Phosphoric acid 2.5 - < 10%
L
FINECS: 231-633-2 Skin Corr. 1B H214
7 SKIII COII. 1D, II 314
Reg.nr.: 01-2119485924-24-XXXX Note: B
Specific concentration limits:
Skin Corr. 1B; H314: C ≥ 25%
Skin Irrit. 2; H315: 10 % ≤ C < 25 %
Eye Irrit. 2; H319: 10 % ≤ C < 25 %

(Contd. on page 3)



Page 3/14

Safety data sheet according to UK REACH

Printing date 09.10.2024 Version number 4 (replaces version 3) Revision: 09.10.2024

Trade name: Slatted Cover Cleaner

CAS: 68424-85-1 Alkyl(C12-16)dimethylbenzylammonium chloride
EINECS: 270-325-2 Skin Corr. 1B, H314; Aquatic Chronic 1, H410;
Reg.nr.: 01-2119965180-41-XXXX Acute Tox. 4, H302

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

- **Information for doctor:** Treat symptomatically and supportively.
- · Most important symptoms and effects, both acute and delayed Corrosive damage to gastro-intestinal tract.
- · Hazards Danger of gastric perforation.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Chlorine compounds

Hydrogen chloride (HCl)

Nitrogen oxides (NOx)

Phosphorous oxides

- · Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

Wear fully protective suit.

(Contd. on page 4)



Page 4/14

Safety data sheet according to UK REACH

Printing date 09.10.2024 Version number 4 (replaces version 3) Revision: 09.10.2024

Trade name: Slatted Cover Cleaner

(Contd. of page 3)

· Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course in the undiluted form.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Lime slurry can be used to neutralize material (e.g. 10 - 50% potassium carbonate solution or 10 - 30% sodium carbonate solution).

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· Precautions for safe handling

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Safety showers and eye wash facilities should be available at the work area.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility:

Store away from oxidising agents.

Store away from metals.

Do not store together with alkalis (caustic solutions).

· Further information about storage conditions:

Protect from frost.

Keep container tightly sealed.

Store in a bunded area.

- · Storage class: 8 B
- · Specific end use(s) No further relevant information available.

GB



Page 5/14

Safety data sheet according to UK REACH

Printing date 09.10.2024 Version number 4 (replaces version 3) Revision: 09.10.2024

Trade name: Slatted Cover Cleaner

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

· Control parameters

•				
· Ingredients with limit values that require monitoring at the workplace:				
CAS: 764	CAS: 7647-01-0 hydrochloric acid			
Lon	WEL Short-term value: 8 mg/m³, 5 ppm Long-term value: 2 mg/m³, 1 ppm (gas and aerosol mists)			
CAS: 766	CAS: 7664-38-2 Phosphoric acid			
	WEL Short-term value: 2 mg/m³ Long-term value: 1 mg/m³			
· DNELs				
CAS: 764	CAS: 7647-01-0 hydrochloric acid			
Inhalative	Long-term local effects	8 mg/m³ (general population)		
		8 mg/m³ (worker)		
	Short-term local effects	15 mg/m³ (general population)		
		15 mg/m³ (worker)		
CAS: 766	4-38-2 Phosphoric acid			
Oral	Long-term systemic effects	100 ug/kg bw/day (general nonulation)		

CAS: 7664-38-2 Phosphoric acid		
Oral	Long-term systemic effects	100 μg/kg bw/day (general population)
Inhalative	Long-term systemic effects	4.57 mg/m³ (general population)
		10.7 mg/m³ (worker)
	Long-term local effects	1 mg/m³ (worker)
	Short-term local effects	2 mg/m³ (worker)
	Long-term local effects	360 μg/m³ (general population)

· PNECs

CAS: 68424-85-1 Alkyl(C12-16)dimethylbenzylammonium chloride

Freshwater - Intermittent releases 160 n	ıg/L
Marine water 96 ng	;/L
Marine Water - Intermittent releases 207 n	ıg/L
Sewage Treatment Plant 160 µ	ıg/L
Sediment (freshwater) 68 mg	g/kg
Sediment (marine water) 15.75	mg/kg
Soil 1.66 i	ng/L ng/L ng/L ng/L ng/L ng/kg ng/kg mg/kg

- Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

(Contd. on page 6)



Page 6/14

Safety data sheet according to UK REACH

Printing date 09.10.2024 Version number 4 (replaces version 3) Revision: 09.10.2024

Trade name: Slatted Cover Cleaner

(Contd. of page 5)

Ensure that eyewash stations and safety showers are close to the workstation location.

Take note of assigned Workplace Exposure Limits.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- · Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles conforming to EN166.

· Body protection:



Impervious protective clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

SECTION 9: Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

Physical state
Colour:
Colourless
Odour:
Acidic

• Odour threshold: Not determined. • Melting point/freezing point: Undetermined.

(Contd. on page 7)



Page 7/14

Safety data sheet according to UK REACH

Printing date 09.10.2024 Version number 4 (replaces version 3) Revision: 09.10.2024

Trade name: Slatted Cover Cleaner

	(Contd. of page
Boiling point or initial boiling point and boiling	
range	>100 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	<2
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.12 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Other information	NOTE: The physical data presented above are typic values and should not be construed as a specification
Appearance:	values and should not be construed as a specification
Form:	Fluid
Important information on protection of health an	
environment, and on safety.	u
Ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	Troduct does not present an expression nazard.
VOC (EC)	0.00 %
Change in condition	0.00 //
Evaporation rate	Not determined.
•	
Information with regard to physical hazard classe	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Void Void

(Contd. on page 8)



Page 8/14

Safety data sheet according to UK REACH

Printing date 09.10.2024 Version number 4 (replaces version 3) Revision: 09.10.2024

Trade name: Slatted Cover Cleaner

(Contd. of page 7)

• Oxidising solids May intensify fire; oxidiser.

· Organic peroxides Void

· Corrosive to metals May be corrosive to metals.

· Desensitised explosives Void

SECTION 10: Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials:

Finely powdered metals.

Strong bases, sodium hypochlorite.

· Hazardous decomposition products:

Phosphorus compounds

Carbon monoxide and carbon dioxide

Hydrogen chloride (HCl)

Nitrogen oxides (NOx)

SECTION 11: Toxicological information

- · Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values	relevant for	classification:

ATE (Acute Toxicity Estimates)

Oral LD50 4,255.9 mg/kg

CAS: 7647-01-0 hydrochloric acid

Oral LD50 900 mg/kg (rabbit)

CAS: 7664-38-2 Phosphoric acid

Dermal LD50 2,740 mg/kg (rabbit)

CAS: 68424-85-1 Alkyl(C12-16)dimethylbenzylammonium chloride

Oral LD50 795 mg/kg (rat)

Dermal LD50 3,400 mg/kg (rabbit)

- Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 9)



Page 9/14

Safety data sheet according to UK REACH

Printing date 09.10.2024 Version number 4 (replaces version 3) Revision: 09.10.2024

Trade name: Slatted Cover Cleaner

(Contd. of page 8)

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

Inhalation may cause lung oedema, but only after initial corrosive effects on eyes and/or airways have become manifest. The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential. Immediate administration of an appropriate inhalation therapy by a doctor or a person authorized by him/her, should be considered.

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

- · Information on other hazards
- · Endocrine disrupting properties

None of the ingredients are listed.

SECTION 12: Ecological information

- · Toxicity
- · Aquatic toxicity:

CAS: 68424-85-1 Alkyl(C12-16)dimethylbenzylammonium chloride

EC50 (96 h) (static) 0.85 mg/l (Fish)
EC50 (48 h) 0.016 mg/l (Bacteria)

EC50 (72 h) 0.02 mg/l (Selenastrum capricornutum)

- Persistence and degradability The organic portion of the product is biodegradable.
- · Bioaccumulative potential Product is not expected to bioaccumulate.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · Other adverse effects
- · Remark:

Very toxic for fish

Toxic for fish

- · Additional ecological information:
- · General notes:

Toxic for aquatic organisms

Also poisonous for fish and plankton in water bodies.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 10)



Page 10/14

Safety data sheet according to UK REACH

Printing date 09.10.2024 Version number 4 (replaces version 3) Revision: 09.10.2024

Trade name: Slatted Cover Cleaner

(Contd. of page 9)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · Waste treatment methods
- · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- · Uncleaned packaging:
- · Recommendation:

Container remains hazardous when empty. Continue to observe all precautions.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

UN number or ID number ADR/RID/ADN, IMDG, IATA	UN3264		
· UN proper shipping name			
ADR/RID/ADN	UN3264 CORROSIVE LIQUID, ACIDIC, INORGAN		
	N.O.S. (hydrochloric acid, Alkyl(C12-1		
	dimethylbenzylammonium chloride		
	ENVIRONMENTALLY HAZARDOUS		
IMDG	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.C		
	(hydrochloric acid, Alkyl(C12-1		
	dimethylbenzylammonium chloride), MARI		
	POLLUTANT		
IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.C.		
	(hydrochloric acid, Alkyl(C12-1		
	dimethylbenzylammonium chloride)		



Page 11/14

Safety data sheet according to UK REACH

Printing date 09.10.2024 Version number 4 (replaces version 3) Revision: 09.10.2024

Trade name: Slatted Cover Cleaner

· Maritime transport in bulk according to IMO

· Transport/Additional information:

instruments

(Contd. of page 10) · Transport hazard class(es) · ADR/RID/ADN · Class 8 (C1) Corrosive substances. · Label · IMDG · Class 8 Corrosive substances. · Label · IATA · Class 8 Corrosive substances. · Label · Packing group · ADR/RID/ADN, IMDG, IATA · Environmental hazards: Product contains environmentally hazardous substances: Alkyl(C12-16)dimethylbenzylammonium chloride · Marine pollutant: No Symbol (fish and tree) · Special marking (ADR/RID/ADN): Symbol (fish and tree) · Special precautions for user Warning: Corrosive substances. · Hazard identification number (Kemler code): 80 · Hazchem Code: 2XF-A,S-B · EMS Number: (SGG1) Acids · Segregation groups · Stowage Category · Stowage Code SW2 Clear of living quarters.

Not applicable.

Not dangerous according to the above specifications.

(Contd. on page 12)



Page 12/14

Safety data sheet according to UK REACH

Revision: 09.10.2024 Printing date 09.10.2024 Version number 4 (replaces version 3)

Trade name: Slatted Cover Cleaner

(Contd. of page 11)

	(Contd. of page 11)	
· ADR/RID/ADN		
· Limited quantities (LQ)	1L	
· Excepted quantities (EQ)	Code: E2	
	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 500 ml	
· Transport category	2	
· Tunnel restriction code	E	
· IMDG		
· Limited quantities (LQ)	1L	
· Excepted quantities (EQ)	Code: E2	
	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 500 ml	
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC	
e	N.O.S. (HYDROCHLORIC ACID, ALKYL(C12-16	
	DIMETHYLBENZYLAMMONIUM CHLORIDE), 8, I	
	ENVIRONMENTALLY HAZARDOUS	
	· · · · · · · · · · · · · · · · · · ·	

SECTION 15: Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act

· Regulated explosives precursors		
CAS: 7647-01-0 hydroch	loric acid	10%
CAS: 7664-38-2 Phospho	oric acid	30%

· Regulated poisons

None of the ingredients are listed.

· Reportable explosives precursors

None of the ingredients are listed.

· Reportable poisons

None of the ingredients are listed.

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms







GHS05

GHS07

· Signal word Danger

· Hazard-determining components of labelling:

Phosphoric acid

(Contd. on page 13)



Page 13/14

Safety data sheet according to UK REACH

Printing date 09.10.2024 Version number 4 (replaces version 3) Revision: 09.10.2024

Trade name: Slatted Cover Cleaner

(Contd. of page 12)

 $Alkyl (C12\text{-}16) dimethyl benzylammonium\ chloride$

hydrochloric acid

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients are listed.
- · Seveso category E2
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

· Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

· Department issuing SDS: Product safety department.

· Abbreviations and acronvms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 14)



(Contd. of page 13)

Page 14/14

Safety data sheet according to UK REACH

Printing date 09.10.2024 Version number 4 (replaces version 3) Revision: 09.10.2024

Trade name: Slatted Cover Cleaner

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Met. Corr.1: Corrosive to metals – Category 1 Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.

GB