

Page 1/11

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 28.03.2025 Version number 6 (replaces version 5) Revision: 28.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Pool Acid
- · CAS Number:

7681-38-1

· EC number:

231-665-7

· Index number:

016-046-00-X

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC37 Water treatment chemicals
- · Application of the substance / the mixture Water treatment
- · Uses advised against

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

Processes involving the use of incompatible substances - refer to section 10.

- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

All Swim Ltd

Link Trade Park

Penarth Road

Cardiff

CF11 8TQ

Tel: 029 20705059 sales@allswimltd.com

- · Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to GB-CLP

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to GB-CLP The substance is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)



Page 2/11

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 28.03.2025 Version number 6 (replaces version 5) Revision: 28.03.2025

Trade name: Pool Acid

(Contd. of page 1)

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

Sodium bisulphate

· Hazard statements

H318 Causes serious eye damage.

· Precautionary statements

P261 Avoid breathing dust.

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P401 Store in accordance with local/regional/national/international regulations.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Description

CAS: 7681-38-1 Sodium bisulphate

- Identification number(s)
 EC number: 231-665-7
 Index number: 016-046-00-X
- **SECTION 4: First aid measures**
- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

(Contd. on page 3)



Page 3/11

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 28.03.2025 Version number 6 (replaces version 5) Revision: 28.03.2025

Trade name: Pool Acid

(Contd. of page 2)

· After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

- · Information for doctor: Treat symptomatically and supportively.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Water spray

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Reacts with light metals in the presence of water, releasing hydrogen.

In case of fire, the following can be released:

Sulphur Oxides (SOx)

Toxic metal oxide smoke

In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Do not inhale explosion gases or combustion gases.

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Ensure adequate ventilation

· 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course in the undiluted form.

(Contd. on page 4)



Page 4/11

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 28.03.2025 Version number 6 (replaces version 5) Revision: 28.03.2025

Trade name: Pool Acid

(Contd. of page 3)

· 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

- · Information about fire and explosion protection: Protect from heat.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Storage class: 11
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- · DNELs No hazard identified.

· PNECs		
CAS: 7681-38-1 Sodium bisulphate		
Freshwater	11.09 mg/L	
Freshwater - Intermittent releases	17.66 mg/L	
Marine water	1.109 mg/L	
Sewage Treatment Plant	800 mg/L	
Sediment (freshwater)	40.2 mg/kg	
Sediment (marine water)	4.02 mg/kg	
Soil	1.54 mg/kg	

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 5)



Page 5/11

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 28.03.2025 Version number 6 (replaces version 5) Revision: 28.03.2025

Trade name: Pool Acid

(Contd. of page 4)

- · 8.2 Exposure controls
- **Appropriate engineering controls** No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat, drink, smoke or sniff while working.

Do not breathe dust

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.
- · Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles conforming to EN166.

· Body protection:



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

- Environmental exposure controls Do not allow to enter drains, sewers or watercourses.
- · Risk management measures The operators shall be instructed adequately.

- GB -



Page 6/11

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Version number 6 (replaces version 5) Revision: 28.03.2025 Printing date 28.03.2025

Trade name: Pool Acid

(Contd. of page 5)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Solid · Colour: Yellowish · Odour: Odourless · Odour threshold: Not determined. 315 °C

· Melting point/freezing point:

· Boiling point or initial boiling point and boiling range 460 °C (Decomposes) Product is not flammable. · Flammability

· Lower and upper explosion limit

Not determined. · Lower: Not determined. · Upper: Not applicable. · Flash point: · Decomposition temperature: Not determined.

1 - 1.2

· Viscosity:

· Kinematic viscosity Not applicable. · Dynamic: Not applicable.

· Solubility

285 g/l · water at 20 °C:

Not determined. · Partition coefficient n-octanol/water (log value) · Vapour pressure: Not applicable.

· Density and/or relative density

· Density: Not determined. · Relative density Not determined. · Vapour density Not applicable.

· Particle characteristics Particle size: 0.25 - 1 mm

· 9.2 Other information NOTE: The physical data presented above are typical

values and should not be construed as a specification.

· Appearance:

Solid · Form:

· Important information on protection of health and

environment, and on safety.

Not determined. · Ignition temperature:

Product does not present an explosion hazard. · Explosive properties:

· Change in condition

· Evaporation rate Not applicable.

· Information with regard to physical hazard classes

· Explosives Not applicable Not applicable · Flammable gases Not applicable · Aerosols

(Contd. on page 7)



Page 7/11

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 28.03.2025 Version number 6 (replaces version 5) Revision: 28.03.2025

Trade name: Pool Acid

(Contd. of page 6)

Not applicable		
Not applicable		
· Substances and mixtures, which emit flammable gases		
Not applicable		

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

To avoid thermal decomposition do not overheat.

Gives off toxic and irritant fumes on heating or burning.

· 10.3 Possibility of hazardous reactions

Reacts with alkali (lyes).

Reacts with alcohols.

Aqueous solution forms hydrogen in contact with some metals.

- · 10.4 Conditions to avoid Heat and static discharge.
- \cdot 10.5 Incompatible materials:

Alkalis

Light metals and their alloys.

Alcohols

Strong oxidising agents.

· 10.6 Hazardous decomposition products: Sulphur oxides (SOx)

SECTION 11: Toxicological information

- $\cdot\,11.1\,\,Information\,\,on\,\,hazard\,\,classes\,\,as\,\,defined\,\,in\,\,Regulation\,\,(EC)\,\,No\,\,1272/2008$
- · Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 8)



Page 8/11

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 28.03.2025 Version number 6 (replaces version 5) Revision: 28.03.2025

Trade name: Pool Acid

(Contd. of page 7)

· LD/LC50 values relevant for classification:

CAS: 7681-38-1 Sodium bisulphate

Oral LD50 > 2,000 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity: Prolonged or repeated skin contact may irritate and cause dermatitis.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients are listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 7681-38-1 Sodium bisulphate

EC50 (96 h) > 100 mg/l (Bacteria)

- · 12.2 Persistence and degradability Inorganic substance: not applicable
- 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

GB —



Page 9/11

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 28.03.2025 Version number 6 (replaces version 5) Revision: 28.03.2025

Trade name: Pool Acid

(Contd. of page 8)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR/RID/ADN, ADN, IMDG, IATA	Not applicable	
· 14.2 UN proper shipping name · ADR/RID/ADN, ADN, IMDG, IATA	Not applicable	
· 14.3 Transport hazard class(es)		
· ADR/RID/ADN, ADN, IMDG, IATA · Class	Not applicable	
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Not applicable	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according to IMO instruments Not applicable.		

(Contd. on page 10)



Page 10/11

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 28.03.2025 Version number 6 (replaces version 5) Revision: 28.03.2025

Trade name: Pool Acid

(Contd. of page 9)

· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Not applicable

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients are listed.

· Regulated poisons

None of the ingredients are listed.

· Reportable explosives precursors

None of the ingredients are listed.

· Reportable poisons

None of the ingredients are listed.

- · Control Of Major Accident Hazards Regulations 2015 (COMAH)
- · Named dangerous substances ANNEX I Substance is not listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

· Department issuing SDS: Product safety department.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

(Contd. on page 11)



Page 11/11

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Version number 6 (replaces version 5) Revision: 28.03.2025 Printing date 28.03.2025

Trade name: Pool Acid

(Contd. of page 10)

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 * Data compared to the previous version altered.