

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025

Version number 2 (replaces version 1)

Revision: 29.03.2025

* SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Ezy-Float
- **Registration number** Mixture
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Product category**
 - PC37 Water treatment chemicals
 - PC8 Biocidal products
- **Application of the substance / the mixture** Disinfectant
- **Uses advised against** Any use not specified above.
- **1.3 Details of the supplier of the safety data sheet**
- **Supplier:**
 - Complete Pool Controls Ltd
 - Unit 2, The Park
 - Stoke Orchard
 - Bishops Cleeve
 - Gloucestershire
 - GL52 7RS
 - UK
- Tel: +44 (0)1242 662700 (office hours)
- email: sales@cpc-chemicals.co.uk
- **Further information obtainable from:** Product safety department.
- **1.4 Emergency telephone number:**
 - Members of the public seeking specific information on poisons should contact:
 - In England and Wales: NHS 111 - dial 111
 - In Scotland: NHS 24 - dial 111

* SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to GB-CLP**

Ox. Sol. 3	H272	May intensify fire; oxidiser.
Acute Tox. 4	H302	Harmful if swallowed.
Eye Irrit. 2	H319	Causes serious eye irritation.
Repr. 1B	H360FD	May damage fertility. May damage the unborn child.
STOT SE 3	H335	May cause respiratory irritation.
Aquatic Acute 1	H400	Very toxic to aquatic life.
Aquatic Chronic 1	H410	Very toxic to aquatic life with long lasting effects.
- **2.2 Label elements**
- **Labelling according to GB-CLP** The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**



GHS03 GHS07 GHS08 GHS09

(Contd. on page 2)

— GB —

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025

Version number 2 (replaces version 1)

Revision: 29.03.2025

Trade name: Ezy-Float

(Contd. of page 1)

· **Signal word** Danger

· **Hazard-determining components of labelling:**

symclosene

Boric acid

· **Hazard statements**

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H360FD May damage fertility. May damage the unborn child.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P220 Keep away from clothing and other combustible materials.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local regulations.

· **Additional information:**

EUH031 Contact with acids liberates toxic gas.

Contains biocidal active substance(s): symclosene

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

* SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 87-90-1 EINECS: 201-782-8 Index number: 613-031-00-5 Reg.nr.: 01-2120767978-27-XXXX	symclosene ⚠ Ox. Sol. 2, H272; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Eye Irrit. 2, H319; STOT SE 3, H335, EUH031	50 – 100%
CAS: 10043-35-3 EINECS: 233-139-2 Index number: 005-007-00-2 Reg.nr.: 01-2119486683-25-XXXX	Boric acid ⚠ Repr. 1B, H360FD; ⚠ Acute Tox. 4, H332 Note: 11	0.3 – 1%

· **SVHC**

CAS: 10043-35-3 | Boric acid

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

— GB —

(Contd. on page 3)

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025

Version number 2 (replaces version 1)

Revision: 29.03.2025

Trade name: Ezy-Float

(Contd. of page 2)

* SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Rinse contaminated clothes (fire hazard) with plenty of water.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· Information for doctor:

After inhalation of decomposition products, the patient should be kept under medical review for at least 48 hours as delayed pulmonary oedema may develop.

Treat symptomatically and supportively.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

* SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

Water spray

Carbon dioxide

Use fire extinguishing methods suitable to surrounding conditions.

· For safety reasons unsuitable extinguishing agents:

Extinguishing powder

Foam

Water with full jet

· 5.2 Special hazards arising from the substance or mixture

Strong oxidiser. Contact with combustible or flammable substances may cause fire.

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

Hydrogen chloride (HCl)

Nitrogen oxides (NO_x)

· 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

· Additional information

Cool endangered receptacles with water spray.

(Contd. on page 4)

— GB —

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025

Version number 2 (replaces version 1)

Revision: 29.03.2025

Trade name: Ezy-Float

(Contd. of page 3)

Collect contaminated fire fighting water separately. It must not enter the sewage system.

* SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Every attempt should be made to avoid mixing spilled material with other chemicals or debris when cleaning up.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

* SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Do not mix with acids.

Rinse contaminated clothing with plenty of water (Fire hazard)

· Information about fire - and explosion protection: Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Do not store on combustible materials such as wooden floors or wooden pallets.

· Information about storage in one common storage facility: Do not store together with acids.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

· Storage class: 5.1 B

· 7.3 Specific end use(s) No further relevant information available.

* SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 5)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025

Version number 2 (replaces version 1)

Revision: 29.03.2025

Trade name: Ezy-Float

(Contd. of page 4)

· DNELs		
CAS: 87-90-1 symclosene		
Oral	Long-term systemic effects	1.14 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	1.14 mg/kg bw/day (general population)
		2.28 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	1.98 mg/m ³ (general population)
		8.04 mg/m ³ (worker)
CAS: 10043-35-3 Boric acid		
Oral	Long-term systemic effects	980 µg/kg bw/day (general population)
	Short-term systemic effects	980 µg/kg bw/day (general population)
Dermal	Long-term systemic effects	196 mg/kg bw/day (general population)
		392 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	4.15 mg/m ³ (general population)
		8.3 mg/m ³ (worker)
· PNECs		
CAS: 87-90-1 symclosene		
Freshwater		0.17 – 12,100 µg/L
Freshwater - Intermittent releases		1.7 – 6,550 µg/L
Marine water		1.52 mg/L
Sewage Treatment Plant		590 – 204,100 µg/L
Sediment (freshwater)		7.56 mg/kg
Sediment (marine water)		756 µg/kg
Soil		756 µg/kg
CAS: 10043-35-3 Boric acid		
Freshwater		2.9 mg/L
Freshwater - Intermittent releases		13.7 mg/L
Marine water		2.9 mg/L
Sewage Treatment Plant		10 mg/L
Soil		5.7 mg/kg

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Contaminated clothes are a fire hazard. Rinse with plenty of water.

Ensure that eyewash stations and safety showers are close to the workstation location.

(Contd. on page 6)

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025

Version number 2 (replaces version 1)

Revision: 29.03.2025

Trade name: Ezy-Float

(Contd. of page 5)

- **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.
- **Hand protection**



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

Butyl rubber, BR

Chloroprene rubber, CR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye/face protection**



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

- **Body protection:**



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

- **Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.
- **Risk management measures** The operators shall be instructed adequately.

* SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

· Physical state	Solid
· Colour:	White
· Odour:	Chlorine-like
· Odour threshold:	Not determined.
· Melting point/freezing point:	225 – 240 °C
· Boiling point or initial boiling point and boiling range	Undetermined.
· Flammability	Not determined.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Decomposition temperature:	225 °C

(Contd. on page 7)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025

Version number 2 (replaces version 1)

Revision: 29.03.2025

Trade name: Ezy-Float

(Contd. of page 6)

· pH at 20 °C	2 – 2.7 (1%)
· Viscosity:	
· Kinematic viscosity	Not applicable.
· Dynamic:	Not applicable.
· Solubility	
· water at 20 °C:	12 g/l
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not applicable.
· Density and/or relative density	
· Density at 20 °C:	~ 2.5 g/cm ³
· Relative density	Not determined.
· Vapour density	Not applicable.
· 9.2 Other information	
· Appearance:	
· Form:	Tablets
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not self-igniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· Solids content:	100.0 %
· Change in condition	
· Evaporation rate	Not applicable.
· Information with regard to physical hazard classes	
· Explosives	Not applicable
· Flammable gases	Not applicable
· Aerosols	Not applicable
· Oxidising gases	Not applicable
· Gases under pressure	Not applicable
· Flammable liquids	Not applicable
· Flammable solids	Not applicable
· Self-reactive substances and mixtures	Not applicable
· Pyrophoric liquids	Not applicable
· Pyrophoric solids	Not applicable
· Self-heating substances and mixtures	Not applicable
· Substances and mixtures, which emit flammable gases in contact with water	Not applicable
· Oxidising liquids	Not applicable
· Oxidising solids	May intensify fire; oxidiser.
· Organic peroxides	Not applicable
· Corrosive to metals	Not applicable
· Desensitised explosives	Not applicable

* SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** To avoid thermal decomposition do not overheat.

(Contd. on page 8)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025

Version number 2 (replaces version 1)

Revision: 29.03.2025

Trade name: Ezy-Float

(Contd. of page 7)

· **10.3 Possibility of hazardous reactions**

Exothermic reaction with acids.
 Reacts with acids releasing chlorine.
 Reacts with alkali (lyes).
 Reacts with amines.
 Acts as an oxidising agent on organic materials such as wood, paper and fats.
 Reacts with oxidising agents.
 Reacts with reducing agents.

· **10.4 Conditions to avoid** Heat and static discharge.

· **10.5 Incompatible materials:** Substances specifically listed in section 10.3 as incompatible.

· **10.6 Hazardous decomposition products:**

Carbon monoxide and carbon dioxide
 Chlorine
 Hydrogen chloride (HCl)
 Nitrogen oxides (NO_x)

* SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

· **Acute toxicity** Harmful if swallowed.

· **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)

Oral	LD50	451.11 mg/kg (rat)
------	------	--------------------

CAS: 87-90-1 symclosene

Oral	LD50	406 mg/kg (rat)
------	------	-----------------

CAS: 10043-35-3 Boric acid

Oral	LD50	> 2,000 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rat)
Inhalative	LC50/4 h	> 2.03 mg/l (rat)

· **Primary irritant effect:**

· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.

· **Serious eye damage/irritation** Causes serious eye irritation.

· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity** May damage fertility. May damage the unborn child.

· **STOT-single exposure** May cause respiratory irritation.

· **STOT-repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

· **Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.

· **Additional toxicological information:**

Inhalation of decomposition products may cause lung oedema. The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential. Attention by a doctor should be considered.

(Contd. on page 9)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025

Version number 2 (replaces version 1)

Revision: 29.03.2025

Trade name: Ezy-Float

(Contd. of page 8)

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients are listed.

* SECTION 12: Ecological information

· 12.1 Toxicity

· **Aquatic toxicity:** No further relevant information available.

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

· **Remark:** Very toxic for fish

· Additional ecological information:

· General notes:

Very toxic for aquatic organisms

Also poisonous for fish and plankton in water bodies.

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

* SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

Container remains hazardous when empty. Continue to observe all precautions.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

(Contd. on page 10)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025

Version number 2 (replaces version 1)






Revision: 29.03.2025

Trade name: Ezy-Float

(Contd. of page 9)

· Recommended cleansing agents: Large quantities of water

* SECTION 14: Transport information

· 14.1 UN number or ID number	UN1479
· ADR/RID/ADN, IMDG, IATA	
· 14.2 UN proper shipping name	UN1479 OXIDIZING SOLID, N.O.S. (TRICHLOROISOCYANURIC ACID), ENVIRONMENTALLY HAZARDOUS
· ADR/RID/ADN	
· IMDG	OXIDIZING SOLID, N.O.S. (TRICHLOROISOCYANURIC ACID), MARINE POLLUTANT
· IATA	OXIDIZING SOLID, N.O.S. (TRICHLOROISOCYANURIC ACID)
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN	
	
· Class	5.1 (O2) Oxidising substances.
· Label	5.1
· IMDG	
	
· Class	5.1 Oxidising substances.
· Label	5.1
· IATA	
	
· Class	5.1 Oxidising substances.
· Label	5.1
· 14.4 Packing group	
· ADR/RID/ADN, IMDG, IATA	III
· 14.5 Environmental hazards:	Product contains environmentally hazardous substances: symclosene
· Marine pollutant:	Symbol (fish and tree)
· Special marking (ADR/RID/ADN):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Oxidising substances.

(Contd. on page 11)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025

Version number 2 (replaces version 1)

Revision: 29.03.2025

Trade name: Ezy-Float

(Contd. of page 10)

· Hazard identification number (Kemler code):	50
· Hazchem Code:	1Y
· EMS Number:	F-A,S-Q
· Stowage Category	B
· Segregation Code	SG38 Stow "separated from" SGG2-ammonium compounds. SG49 Stow "separated from" SGG6-cyanides SG60 Stow "separated from" SGG16-peroxides SG61 Stow "separated from" SGG15-powdered metals
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	Amounts up to 5kg or 5L per single or inner package do not require the Environmentally Hazardous mark in accordance with ADR 5.2.1.8.1 and IMDG 2.10.2.7.
· ADR/RID/ADN	
· Limited quantities (LQ)	5 kg
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· Transport category	3
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	5 kg
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN 1479 OXIDIZING SOLID, N.O.S. (TRICHLOROISOCYANURIC ACID), 5.1, III, ENVIRONMENTALLY HAZARDOUS

* SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act

· Regulated explosives precursors

None of the ingredients are listed.

· Regulated poisons

None of the ingredients are listed.

· Reportable explosives precursors

None of the ingredients are listed.

· Reportable poisons

None of the ingredients are listed.

· Control Of Major Accident Hazards Regulations 2015 (COMAH)

- Named dangerous substances - ANNEX I None of the ingredients are listed.

(Contd. on page 12)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025

Version number 2 (replaces version 1)

Revision: 29.03.2025

Trade name: Ezy-Float

(Contd. of page 11)

- **COMAH category**
P8
E1
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 50 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **National regulations:**

Substances of very high concern (SVHC) according to UK REACH	
CAS: 10043-35-3	Boric acid

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

* SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- **Relevant phrases**

H272 May intensify fire; oxidiser.
H302 Harmful if swallowed.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H360FD May damage fertility. May damage the unborn child.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
EUH031 Contact with acids liberates toxic gas.

- **Training hints**

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

- **Department issuing SDS:** Product safety department.

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Ox. Sol. 2: Oxidizing solids – Category 2
Ox. Sol. 3: Oxidizing solids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Repr. 1B: Reproductive toxicity – Category 1B
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. on page 13)



Complete Pool Controls

Page 13/13

Safety data sheet
according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025

Version number 2 (replaces version 1)

Revision: 29.03.2025

Trade name: Ezy-Float

(Contd. of page 12)

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· *** Data compared to the previous version altered.**

— GB —