

Page 1/11

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 03.02.2025 Version number 9 (replaces version 8) Revision: 03.02.2025

### \* SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: HOT TUB & SPA POLISH
- · Registration number Mixture
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC31 Polishes and wax blends
- · Application of the substance / the mixture Surface polish
- · Uses advised against

Processes involving extreme heat use advised against.

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

### · 1.3 Details of the supplier of the safety data sheet

· Supplier:

Total Water Products

Unit 6 Seaway Parade Ind. Estate

Baglan

Port Talbot

**SA12 7BR** 

Tel: 0044 1639 823233

e-mail: info@totalwaterproducts.co.uk

- · Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

### \* SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to GB-CLP

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to GB-CLP The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms Void
- · Signal word Void
- Hazard statements

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P102 Keep out of reach of children.

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

EUH208 Contains Reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1). May produce an allergic reaction.

Contains biocidal active substance(s): Reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 2)



Page 2/11

# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 03.02.2025 Version number 9 (replaces version 8) Revision: 03.02.2025

Trade name: HOT TUB & SPA POLISH

(Contd. of page 1)

· vPvB: Not applicable.

### \* SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 27668-52-6 Reg.nr.: 01-2120249977-36-XXXX	dimethyloctadecyl[3-(trimethoxysilyl)propyl]ammonium chloride  Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Eye Irrit. 2, H319	0.25 - < 1%	
CAS: 67-56-1 EINECS: 200-659-6 Index number: 603-001-00-X Reg.nr.: 01-2119433307-44-XXXX	Methanol  Flam. Liq. 2, H225; Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; STOT SE 1, H370  ATE: LD50 oral: 100 mg/kg  LD50 dermal: 300 mg/kg  LC50/4 h inhalative: 3 mg/l  Specific concentration limits:  STOT SE 1; H370: C ≥ 10%  STOT SE 2; H371: 3 % ≤ C < 10 %	0.1 – 1%	
CAS: 55965-84-9 EC number: 911-418-6 Reg.nr.: 01-2120764691-48-XXXX	Reaction mass of 5-chloro-2- methyl-2H-isothiazol-3- one and 2-methyl-2H-isothiazol-3- one (3:1)  Consisting of: 26172-55-4 5-chloro-2-methyl-2H- isothiazol-3-one (75%); 2682-20-4 2-methyl-2H- isothiazol-3-one (25%)  Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071  ATE: LD50 oral: 66 mg/kg  LD50 dermal: > 141 mg/kg  LC50/4 h inhalative: 0.17 mg/l  Specific concentration limits: Skin Corr. 1C; H314: C≥0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C≥ 0.0015 %	0.00025 - < 0.0015%	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.



Page 3/11

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 03.02.2025 Version number 9 (replaces version 8) Revision: 03.02.2025

Trade name: HOT TUB & SPA POLISH

(Contd. of page 2)

If skin irritation continues, consult a doctor.

· After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

- · **Information for doctor:** Treat symptomatically and supportively.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### \* SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

Chlorine compounds

Nitrogen oxides (NOx)

Silicon compounds

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### \* SECTION 6: Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

Ensure adequate ventilation

### 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course in the undiluted form.

Inform respective authorities in case of seepage into water course or sewage system.

#### • 6.3 Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)





# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 03.02.2025 Version number 9 (replaces version 8) Revision: 03.02.2025

Trade name: HOT TUB & SPA POLISH

(Contd. of page 3)

See Section 13 for disposal information.

### \* SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions:

Protect from frost.

Store in cool, dry conditions in well sealed receptacles.

- · Storage class: 12
- 7.3 Specific end use(s) No further relevant information available.


### \* SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

· Ingre	edients with limit values that require monitoring at the workplace:
CAS:	67-56-1 Methanol
WEL	Short-term value: 333 mg/m³, 250 ppm
	Long-term value: 266 mg/m³, 200 ppm
	Sk

S	k			
· DNELs				
CAS: 2	7668-52-6 dimethyloctadecyl[	3-(trimethoxysilyl)propyl]ammonium chloride		
Oral	Long-term systemic effects	500 μg/kg bw/day (general population)		
Dermal	Long-term systemic effects	1.18 mg/kg bw/day (general population)		
		9.9 mg/kg bw/day (worker)		
Inhalati	ve Long-term systemic effects	0.74 mg/m³ (general population)		
		4.93 mg/m³ (worker)		
CAS: 6	7-56-1 Methanol			
Oral	Long-term systemic effects	4 mg/kg bw/day (general population)		
	Short-term systemic effects	4 mg/kg bw/day (general population)		
Dermal	Long-term systemic effects	4 mg/kg bw/day (general population)		
		20 mg/kg bw/day (worker)		
	Short-term systemic effects	4 mg/kg bw/day (general population)		
		20 mg/kg bw/day (worker)		
Inhalati	ve Long-term systemic effects	26 mg/m³ (general population)		
		130 mg/m³ (worker)		
	Short-term systemic effects	26 mg/m³ (general population)		
		130 mg/m³ (worker)		

(Contd. on page 5)



Page 5/11

Printing date 03.02.2025 Version number 9 (replaces version 8) Revision: 03.02.2025

#### Trade name: HOT TUB & SPA POLISH

		(Contd. of page 4)	
	Long-term local effects	26 mg/m³ (general population)	
		130 mg/m³ (worker)	
	Short-term local effects	26 mg/m³ (general population)	
		130 mg/m³ (worker)	
CAS: 559	CAS: 55965-84-9 Reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one		
	(3:1)		
Oral	Long-term systemic effects	90 μg/kg bw/day (general population)	
	Short-term systemic effects	110 μg/kg bw/day (general population)	
Inhalative	Long-term local effects	20 μg/m³ (general population)	
		20 μg/m³ (worker)	
	Short-term local effects	40 μg/m³ (general population)	
		40 μg/m³ (worker)	
DATEC			

#### · PNECs

### CAS: 27668-52-6 dimethyloctadecyl[3-(trimethoxysilyl)propyl]ammonium chloride

Freshwater	510 ng/L
Freshwater - Intermittent releases	5.1 μg/L
Marine water	51 ng/L
Marine Water - Intermittent releases	510 ng/L
Sewage Treatment Plant	6.694 mg/L
Sediment (freshwater)	6.694 mg/L 2,450 mg/kg 244.9 mg/kg
Sediment (marine water)	244.9 mg/kg
Soil	489.7 mg/kg

## CAS: 55965-84-9 Reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)

()	
Freshwater	3.39 µg/L
Freshwater - Intermittent releases	3.39 μg/L
Marine water	3.39 μg/L
Marine Water - Intermittent releases	3.39 μg/L
Sewage Treatment Plant	230 μg/L
Sediment (freshwater)	27 μg/kg
Sediment (marine water)	27 μg/kg
Soil	10 μg/kg

- $\cdot$   ${\bf Additional}$  information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- **Appropriate engineering controls** No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat, drink, smoke or sniff while working.

Take note of assigned Workplace Exposure Limits.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.



Page 6/11

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 03.02.2025 Version number 9 (replaces version 8) Revision: 03.02.2025

Trade name: HOT TUB & SPA POLISH

(Contd. of page 5)

Do not inhale gases / fumes / aerosols.

- Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- · Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

· Body protection:



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

• Environmental exposure controls Do not allow to enter drains, sewers or watercourses.

### \* SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

Physical state
 Colour:
 Odour:
 Odour threshold:
 Melting point/freezing point:
 Boiling point or initial boiling point and boiling range

• Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Decomposition temperature: Not determined.
pH
Not determined.

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

(Contd. on page 7)





# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 03.02.2025 Version number 9 (replaces version 8) Revision: 03.02.2025

Trade name: HOT TUB & SPA POLISH

(Contd. of page 6)

	(Contd. of page 6)		
· Solubility			
· water:	Emulsifiable.		
· Partition coefficient n-octanol/water (log value)	Not determined.		
· Vapour pressure at 20 °C:	23 hPa (CAS: 7732-18-5 Water)		
Density and/or relative density	,		
· Density at 20 °C:	$1.002 \text{ g/cm}^3$		
· Relative density	Not determined.		
· Vapour density	Not determined.		
9.2 Other information	NOTE: The physical data presented above are typical values and should not be construed as a specification.		
Appearance:			
Form:	Emulsion		
Important information on protection of health and			
environment, and on safety.			
Ignition temperature:	Product is not self-igniting.		
Explosive properties:	Product does not present an explosion hazard.		
· Solvent content:			
· VOC (EC)	0.15 %		
· Change in condition			
· Evaporation rate	Not determined.		
· Information with regard to physical hazard classes			
Explosives	Void		
· Flammable gases	Void		
· Aerosols	Void		
Oxidising gases	Void		
· Gases under pressure	Void		
· Flammable liquids	Void		
· Flammable solids	Void		
· Self-reactive substances and mixtures	Void		
· Pyrophoric liquids	Void		
Pyrophoric solids	Void		
Self-heating substances and mixtures	Void		
· Substances and mixtures, which emit flammable gase			
in contact with water	Void		
· Oxidising liquids	Void		
Oxidising solids	Void		
· Organic peroxides	Void		
· Corrosive to metals	Void		
Desensitised explosives	Void		

## \* SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid Heat and static discharge.
- 10.5 Incompatible materials: Strong oxidising agents.

(Contd. on page 8)



Page 8/11

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 03.02.2025 Version number 9 (replaces version 8) Revision: 03.02.2025

Trade name: HOT TUB & SPA POLISH

(Contd. of page 7)

#### · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Chlorine compounds Silicon compounds

### \* SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

CAS: 55965-84-9 Reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)

 Oral
 LD50
 66 mg/kg (ATE)

 Dermal
 LD50
 > 141 mg/kg (ATE)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity: Prolonged or repeated skin contact may irritate and cause dermatitis.
- · Additional toxicological information: Repeated or prolonged skin contact may induce sensitisation.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

CAS: 1222-05-5 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran

List II

### \* SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability The organic portion of the product is biodegradable.
- 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Harmful to aquatic organisms

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 9)





## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 03.02.2025 Version number 9 (replaces version 8) Revision: 03.02.2025

Trade name: HOT TUB & SPA POLISH

(Contd. of page 8)

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

### \* SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

### **SECTION 14: Transport information**

· 14.1 UN number or ID number · ADR/RID/ADN, ADN, IMDG, IATA	Not applicable
· 14.2 UN proper shipping name · ADR/RID/ADN, ADN, IMDG, IATA	Not applicable
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN, ADN, IMDG, IATA · Class	Not applicable
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Not applicable
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IM instruments	O Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Not applicable



Page 10/11

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 03.02.2025 Version number 9 (replaces version 8) Revision: 03.02.2025

Trade name: HOT TUB & SPA POLISH

(Contd. of page 9)

### \* SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients are listed.

· Regulated poisons

None of the ingredients are listed.

· Reportable explosives precursors

None of the ingredients are listed.

· Reportable poisons

None of the ingredients are listed.

- · Control Of Major Accident Hazards Regulations 2015 (COMAH)
- · Named dangerous substances ANNEX I None of the ingredients are listed.
- · National regulations:
- · Information about limitation of use:

Class	Share in %
I	0.2

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### \* SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

### · Relevant phrases

H225	Highly	flammabl	le liquid a	and vapour.
------	--------	----------	-------------	-------------

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H331 Toxic if inhaled.

H370 Causes damage to organs.

H371 May cause damage to organs.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

(Contd. on page 11)



Page 11/11

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 03.02.2025 Version number 9 (replaces version 8) Revision: 03.02.2025

Trade name: HOT TUB & SPA POLISH

(Contd. of page 10)

### · Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

· **Department issuing SDS:** Product safety department.

### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids - Category 2

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 2: Acute toxicity - Category 2

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1A: Skin sensitisation – Category 1A

STOT SE 1: Specific target organ toxicity (single exposure) – Category 1

 $Aquatic\ Acute\ 1:\ Hazardous\ to\ the\ aquatic\ environment\ -\ acute\ aquatic\ hazard\ -\ Category\ 1$ 

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

\* Data compared to the previous version altered.