

Page 1/13

# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025 Version number 17 Revision: 12.02.2025

## \* SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: HOT TUB SYSTEM FLUSH
- · Registration number Mixture
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC35 Washing and cleaning products (including solvent based products)
- · Application of the substance / the mixture Cleaning agent/ Cleaner
- · Uses advised against

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

Any use involving aerosol formation or vapour release in excess of the assigned Workplace Exposure Limit where workers are exposed without suitable Respiratory Protective Equipment.

#### · 1.3 Details of the supplier of the safety data sheet

Supplier:

Total Water Products Unit 6 Seaway Parade Ind. Estate Baglan Port Talbot SA12 7BR

Tel: 0044 1639 823233

e-mail: info@totalwaterproducts.co.uk

- Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

#### \* SECTION 2: Hazards identification

#### · 2.1 Classification of the substance or mixture

· Classification according to GB-CLP

Met. Corr.1 H290 May be corrosive to metals.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

#### · 2.2 Label elements

- · Labelling according to GB-CLP The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms







GHS05 GHS07

GHS0

· Signal word Danger





# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025 Version number 17 Revision: 12.02.2025

Trade name: HOT TUB SYSTEM FLUSH

(Contd. of page 1)

#### · Hazard-determining components of labelling:

Sulphuric acid

Amides, tall-oil fatty, N,N-di-Me

Alcohols, C9-11-iso-, C10-rich, ethoxylated

#### · Hazard statements

H290 May be corrosive to metals.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

#### Precautionary statements

P261 Avoid breathing mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

#### · Additional information:

Product contains: Reportable explosives precursors. Acquisition, possession or use by the general public is restricted.

· The Detergents (Amendment) (EU Exit) Regulations 2020 / Labelling for contents	
non-ionic surfactants	≥5 - <15%
phosphates	<5%

#### · 2.3 Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

## \* SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 7664-93-9	Sulphuric acid	5 – < 10%
EINECS: 231-639-5	Skin Corr. 1A, H314	-
Index number: 016-020-00-8	Note: B	
Reg.nr.: 01-2119458838-20-XXXX	Specific concentration limits: Skin Corr. 1A; H314: C ≥ 15 %	
	Skin Irrit. 2; H315: 5 % ≤ C < 15 %	
	Eye Irrit. 2; H319: 5 % ≤ C < 15 %	
CAS: 78330-20-8	Alcohols, C9-11-iso-, C10-rich, ethoxylated	3 – 10%
EC number: 616-607-4	♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302	
CAS: 68308-74-7	Amides, tall-oil fatty, N,N-di-Me	2.5 - 10%
EINECS: 269-665-4	Aquatic Acute 1, H400 (M=10); Aquatic Chronic 2, H411;	
Reg.nr.: 01-2119983524-29-XXXX	Skin Sens. 1B, H317	
CAS: 34590-94-8	Dipropylene glycol monomethyl ether	2.5 - 10%
EINECS: 252-104-2	substance with a Community workplace exposure limit	
Reg.nr.: 01-2119450011-60-XXXX		
	(C	ontd on nage 3)

(Contd. on page 3)



Page 3/13

# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025 Version number 17 Revision: 12.02.2025

Trade name: HOT TUB SYSTEM FLUSH

(Contd. of page 2)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### \* SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eve contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

- · **Information for doctor:** Treat symptomatically and supportively.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# \* SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

Sulphur Oxides (SOx)

Phosphorous oxides

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### \* SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)



Page 4/13

# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025 Version number 17 Revision: 12.02.2025

Trade name: HOT TUB SYSTEM FLUSH

(Contd. of page 3)

#### · 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course in the undiluted form.

### 6.3 Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Lime slurry can be used to neutralize material (e.g. 10 - 50% potassium carbonate solution or 10 - 30% sodium carbonate solution).

Wash the area with plenty of water.

Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## \* SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Safety showers and eye wash facilities should be available at the work area.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility:

Do not store together with alkalis (caustic solutions).

Store away from oxidising agents.

Store away from metals.

Store away from foodstuffs.

#### · Further information about storage conditions:

Protect from frost.

Store in cool, dry conditions in well sealed receptacles.

- · Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

### \* SECTION 8: Exposure controls/personal protection

# $\cdot$ 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:		
CAS:	7664-93-9 Sulphuric acid	
WEL	Long-term value: 0.05* mg/m³ *mist: defined as thoracic fraction	
CAS: 34590-94-8 Dipropylene glycol monomethyl ether		
WEL	Long-term value: 308 mg/m³, 50 ppm Sk	

(Contd. on page 5)





# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025 Version number 17 Revision: 12.02.2025

Trade name: HOT TUB SYSTEM FLUSH

(Contd. of page 4)

DNELs			(Contd. of page	
	1 02 0 Sulphuria aaid			
CAS: 7664-93-9 Sulphuric acid		-	70 / 2/ 1	
Inhalative	alative Long-term local effects		50 μg/m³ (worker)	
			00 μg/m³ (worker)	
	08-74-7 Amides, tall-oi	•		
Oral	•		00 μg/kg bw/day (general population)	
Dermal	Long-term systemic effects		00 μg/kg bw/day (general population)	
			200 μg/kg bw/day (worker)	
	Long-term local effect		30 μg/kg bw/day (general population)	
			61 μg/kg bw/day (worker)	
	Short-term local effect		30 μg/kg bw/day (general population)	
		6	61 μg/kg bw/day (worker)	
Inhalative	Long-term systemic eff		150 μg/m³ (general population)	
		6	600 μg/m³ (worker)	
CAS: 3459	90-94-8 Dipropylene g	ycol m	nonomethyl ether	
Oral	Long-term systemic eff	ects 3	36 mg/kg bw/day (general population)	
Dermal	Long-term systemic eff	ects 1	21 mg/kg bw/day (general population)	
		2	283 mg/kg bw/day (worker)	
Inhalative	Long-term systemic eff	ects 3	37.2 mg/m³ (general population)	
		3	308 mg/m³ (worker)	
PNECs				
	08-74-7 Amides, tall-oi	l fatty,	, N,N-di-Me	
Freshwater	•	6.4 μg	z/L	
Marine wa	ter	640 ng	g/L	
Sewage Tr	eatment Plant	100 m	ng/L	
_	(freshwater)	273.3	273.3 mg/kg	
Sediment (	marine water)	27.33 mg/kg		
Soil	,	54.64 mg/kg		
Secondary	poisoning		66.667 mg/kg food	
CAS: 34590-94-8 Dipropylene glycol				
1 10 90		19 mg	<u> </u>	
		_	90 mg/L	
		1.9 mg		
		4,168		
•		70.2 n		
` '		7.02 n		
*		2.74 n		

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.

(Contd. on page 6)



Page 6/13

# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025 Version number 17 Revision: 12.02.2025

Trade name: HOT TUB SYSTEM FLUSH

(Contd. of page 5)

- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat or drink while working.

Take note of assigned Workplace Exposure Limits.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

- Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

· Body protection:



Impervious protective clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

- · Environmental exposure controls Do not allow to enter drains, sewers or watercourses.
- Risk management measures The operators shall be instructed adequately.

### \* SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical stateColour:Odour:Mild

• Odour threshold: Not determined.
• Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling range 100 °C

(Contd. on page 7)





# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025 Version number 17 Revision: 12.02.2025

Trade name: HOT TUB SYSTEM FLUSH

(Contd. of page 6)

	(Contd. of page 6)
· Flammability	Not applicable.
Lower and upper explosion limit	11
· Lower:	Not determined.
· Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
· pH at 20 °C	1 – 2
· Viscosity:	• -
Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C:	23 hPa
Density and/or relative density	
· Density at 20 °C:	1.042 g/cm <sup>3</sup>
· Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	NOTE: The physical data presented above are typical
7.2 Other information	values and should not be construed as a specification.
· Appearance:	values and should not be constitued as a specification.
Form:	Liquid
Important information on protection of health and	Liquid
environment, and on safety.	
Ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	Trouble to the process and empression indicates
· VOC (EC)	2.94 %
Change in condition	
· Evaporation rate	Not determined.
•	
· Information with regard to physical hazard classes · Explosives	Void
Flammable gases	Void
· Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
· Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases	
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
· Corrosive to metals	May be corrosive to metals.
	•





# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025 Version number 17 Revision: 12.02.2025

Trade name: HOT TUB SYSTEM FLUSH

(Contd. of page 7)

· Desensitised explosives

Void

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · 10.3 Possibility of hazardous reactions Exothermic reaction with alkalis
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:

Finely powdered metals. Strong oxidising agents. Strong bases.

10.6 Hazardous decomposition products:

Nitrogen oxides (NOx) Phosphorus oxides (e.g. P2O5) Carbon monoxide and carbon dioxide Sulphur oxides (SOx)

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

Treate to Aicky Bused on available data, the classification of the first met.		
· LD/LC50 values relevant for classification:		
ATE (Acute Toxicity Estimates)		
Oral   LD50   7,518.8 – 50.125 mg/kg (rat)		
CAS: 7664-93-9 Sulphuric acid		
Oral LD50 2,140 mg/kg (rat)		
CAS: 78330-20-8 Alcohols, C9-11-iso-, C10-rich, ethoxylated		
Oral LD50 300 – 2,000 mg/kg (rat)		
Dermal LD50 > 2,000 mg/kg (rat)		
CAS: 68308-74-7 Amides, tall-oil fatty, N,N-di-Me		
Oral   LD50   > 5,000 mg/kg (rat)		
CAS: 34590-94-8 Dipropylene glycol monomethyl ether		
Oral   LD50   > 5,000 mg/kg (rat)		
Dermal LD50 > 5,000 mg/kg (rab)		
Primary irritant effect:		

- Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 9)



Page 9/13

# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025 Version number 17 Revision: 12.02.2025

Trade name: HOT TUB SYSTEM FLUSH

(Contd. of page 8)

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Subacute to chronic toxicity: Prolonged or repeated skin contact may irritate and cause dermatitis.
- · Additional toxicological information: Repeated or prolonged skin contact may induce sensitisation.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients are listed.

## \* SECTION 12: Ecological information

#### · 12.1 Toxicity

12.1 TOXICITY		
· Aquatic toxicity:		
CAS: 7664-93-9 Sulphuric acid		
EC50 (96 h) 16 mg/l (Fish)		
EC50 (72 h) > 100 mg/l (Daphnia)		
CAS: 78330-20-8 Alcohols, C9-11-iso-, C10-rich, ethoxylated		
EC50 (96 h) 10 – 100 mg/l (Bacteria)		
CAS: 68308-74-7 Amides, tall-oil fatty, N,N-di-Me		
EC50 (72 h) 32 mg/l (algae)		
EC50 (3 h) 1,000 mg/L (microorganisms)		
CAS: 34590-94-8 Dipropylene glycol monomethyl ether		
EC50 (96 h) > 1,000 mg/l (Bacteria)		

- 12.2 Persistence and degradability The organic portion of the product is biodegradable.
- 12.3 Bioaccumulative potential Contains components with the potential to bioaccumulate.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

### \* SECTION 13: Disposal considerations

#### · 13.1 Waste treatment methods

Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).



Page 10/13

# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025 Version number 17 Revision: 12.02.2025

Trade name: HOT TUB SYSTEM FLUSH

(Contd. of page 9)

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Disposal must be made according to official regulations.

Container remains hazardous when empty. Continue to observe all precautions.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

**Recommended cleansing agents:** Water, if necessary together with cleansing agents.

# SECTION 14. Transport information

SECTION 14: Transport informati	ion
· 14.1 UN number or ID number · ADR/RID/ADN, IMDG, IATA	UN3264
14.2 UN proper shipping name	
· ADR/RID/ADN	UN3264 CORROSIVE LIQUID, ACIDIC, INORGANIC,
	N.O.S. (SULPHURIC ACID), ENVIRONMENTALLY
	HAZARDOUS
· IMDG	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	(SULPHURIC ACID), MARINE POLLUTANT
· IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	(SULPHURIC ACID)
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN	
The state of the s	





· Class 8 (C1) Corrosive substances. · Label 8

· IMDG





· Class 8 Corrosive substances. · Label 8

(Contd. on page 11)



Page 11/13

# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025 Version number 17 Revision: 12.02.2025

Trade name: HOT TUB SYSTEM FLUSH

(Contd. of page 10)

· IATA	
· Class · Label	8 Corrosive substances.
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	III
· 14.5 Environmental hazards: · Marine pollutant: · Special marking (ADR/RID/ADN):	Symbol (fish and tree) Symbol (fish and tree)
· 14.6 Special precautions for user · Hazard identification number (Kemler code):	Warning: Corrosive substances. 80
Hazchem Code: EMS Number: Segregation groups Stowage Category Stowage Code Segregation Code	2X F-A,S-B (SGG1) Acids B SW2 Clear of living quarters. SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
· 14.7 Maritime transport in bulk according to IM instruments	O Not applicable.
· Transport/Additional information:	
· ADR/RID/ADN · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category · Tunnel restriction code	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (SULPHURIC ACID), 8, III, ENVIRONMENTALLY HAZARDOUS

GB



Page 12/13

# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025 Version number 17 Revision: 12.02.2025

Trade name: HOT TUB SYSTEM FLUSH

(Contd. of page 11)

## \* SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act

· Regulated explosives precursors		
CAS: 7664-93-9	Sulphuric acid	15%
CAS: 7664-38-2	Phosphoric acid	30%
· Regulated poisons		
None of the ingredients are listed.		
· Reportable explosives precursors		
None of the ingredients are listed.		
· Reportable poisons		
None of the ingredients are listed.		

- Control Of Major Accident Hazards Regulations 2015 (COMAH)
- · Named dangerous substances ANNEX I None of the ingredients are listed.
- · COMAH category E1
- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · National regulations:
- · Information about limitation of use:

Class	Share in %
NK	2.1

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## \* SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

## · Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

### · Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

- · Department issuing SDS: Product safety department.
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 13)



Page 13/13

# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025 Version number 17 Revision: 12.02.2025

#### Trade name: HOT TUB SYSTEM FLUSH

(Contd. of page 12)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values

Met. Corr.1: Corrosive to metals – Category 1 Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard — Category 3

\* \* Data compared to the previous version altered.

GB